

01-13

CITY OF CRAIG, ALASKA BUILDING PERMIT APPLICATION

Applicant Information

Name Hays Construction Co Inc
Mailing Address 7800 S Elati St Suite 245
Street Address 1300 C-K Hwy (Thompson House)
City, State, Zip Littleton, CO 80120
Telephone 303-794-5469

Owner Information (if not also applicant)

Name Northwest Companies
Mailing Address 77 Main Street
Street Address
City, State, Zip Winnipeg, MB R3C2R1
Telephone 204-934-1343

Property Description

Subdivision Name Thompson House
Survey Number: USS 2329 Tract Number: Lot Number: Q1 Block Number:
Army Corps of Engineers Permit Name and/or Number:

Building Activity Information (please check one)

- Single Family Home
- Duplex
- Triplex
- Fourplex or greater
- Deck
- Porch
- Retaining Wall
- Addition
- Commercial Building
- Wannigan
- Garage
- Shed
- Mobile Home (Year and Make)
- Travel Trailer (Year and Make)
- Other (Please describe):

Height of Building at Roof Eve: _____ Closest setback to property line: _____

Building Dimensions: _____ Area of building footprint: _____

What use(s) do you propose for the building?

Site Plan

Please complete on reverse side or attached sheet a site plan showing all proposed construction.

Owner's/Applicant's Statement

I acknowledge that I have read this application and state that the above information is correct. I agree to comply with all codes and ordinances of the City of Craig applicable to building and construction, and all land use regulations as pertaining to this permit. Any violation of land management regulations are the responsibility of the property owner. This permit becomes void upon completion of the approved work, or one year, whichever comes first. Work not documented in this application is not authorized by this building permit.

I understand that this permit is revocable if work is not completed consistent with this applicant or if work does not comply with the requirements of the City of Craig Municipal Code.

I agree to provide the City of Craig with an as-built survey of the lot in the event one is completed for this project.

Roy C Hays 12/12/2012
Signature of Applicant Date

Signature of Property Owner (if other than applicant) Date

Special Conditions of Approval.

The following conditions of approval are made a part of this permit as provided by section 18.06.001B.6 of the Craig Land Development Code:

#1. Must submit fire marshal approval or correspondence from fire marshal that no review is required.

Permission is hereby granted to perform the above work in compliance with any and all conditions listed above and in compliance with the Craig Land Development Code and all other ordinances of the City of Craig and the State of Alaska pertaining to the construction of buildings.

Signature of City Building Official

Date

Scope of work for The Thompson House Craig, AK

Area of work


| | |
|---|--|
| Liquor Store | Remove Fixtures Install new cash wrap |
| 1 week | Remove carpet Install plywood sub floor Prep and paint walls Install LVT on floors 1280 sq ft Install base 90 ' Install equipment and fixtures |
| Back room floorings # 110,112,113,114,118,123,124 | Install plywood subfloor |
| 2 weeks | Install 3500 sq ft of Polyfloor Install base 520 ' |
| Sales area | Move fixtures as needed |
| 4 weeks | install 11 rows of plywood under current fixtures Install 12,500 sq ft of VT-1 Install base 60' Prep and paint walls Remove old cash wraps Install new cash wraps Install Vinyl Wall Coverings Install new signage on walls |
| Meat Prep / Deli | Remove fixtures Remove floorings |
| 2 weeks | Install plywood subfloor Demo walls and doors Insulate wall behind 3 compartment sink Install FRP on wall behind 3 compartment sink Install cooler walls and doors (others) Install floorings 900 sq ft Install equipment Install new electric Install fixtures Install menu boards and other signs |
| Miscellaneous | Paint vestibule and entry Install new floors in vestibule and entry |

2 weeks


- Remove fixtures from washrooms
- Install new floorings in washrooms
- Install new door to furnace room
- Install new double swing doors 2 pr and 1 single
- Install new glass windows in the front of the store

Punch List


1 week




1 NORTH ELEVATION
SCALE 3/16" = 1'-0"




2 EAST ELEVATION
SCALE 3/16" = 1'-0"




3 SOUTH ELEVATION
SCALE 3/16" = 1'-0"



4 WEST ELEVATION
SCALE 3/16" = 1'-0"



5 WEST ELEVATION
SCALE 3/16" = 1'-0"



6 LIQUOR WEST
SCALE 3/16" = 1'-0"



8 LIQUOR EAST
SCALE 3/16" = 1'-0"

LEGEND:
 P = PAINTED FINISH
 DOWNE BY G.C.
 TP = THERMOPLASTIC
 FLOOR PLASTIC WALL PAINT
 RB = RUBBER FLOOR
 BASE
 #003 etc. = KING RETAIL
 DECOR (T.M.)

GENERAL NOTES

| NO. | REVISION | DATE |
|-----|-------------------|---------|
| 1 | ISSUED FOR PERMIT | 10/1/78 |
| 2 | REVISED | 10/1/78 |

THIS DRAWING IS THE PROPERTY OF NORTH WEST COMPANY. IT IS TO BE USED ONLY FOR THE PROJECT AND LOCATION SPECIFICALLY IDENTIFIED HEREON. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF NORTH WEST COMPANY.




7200 North West Highway, Suite 100
 Dallas, Texas 75207
 Tel: (214) 350-1111
 Fax: (214) 350-1112

PROJECT: NORTH WEST COMPANY
 CONSULTANT: COMMERCIAL COMPANY, INC.
 DATE: 10/1/78

INTERIOR DESIGN
 DECOR WALL VINYL PAINT
 # 3081 LOCATIONS

DATE: 10/1/78
 SCALE: 3/16" = 1'-0"
8-1
 SHEET 11



DEMOLITION PLAN

SCALE 3/32" = 1'-0"

DEMOLITION NOTES:

1. WALLS AND/OR DOORS TO BE DEMOLISHED AS INDICATED. PATCH & MAKE GOOD SURFACES TO RECEIVE NEW FINISH.
2. EXISTING CONDOLAS TO BE RELOCATED TO SUIT NEW FLOORING. SEE FUTURE PLAN FOR NEW LAYOUT.
3. EXISTING CONDOLA TO BE DEMOLISHED.
4. EXISTING VENTILATION WATER COOLER CAGED TO BE DEMOLISHED. PATCH & MAKE GOOD SURFACES TO RECEIVE WATER SUPPLIES. WILL NOT BE REINTEGRATED IN RENOVATION.
5. EXISTING OVERCOURT AREA TO BE DEMOLISHED. REFER TO CONSTRUCTION AND ELECTRICAL PLAN FOR NEW LOCATIONS & ELECTRICAL REQUIREMENTS.
6. EXISTING LIQUOR STORE EQUIPMENT TO BE RELOCATED. SEE NEW FUTURE PLAN FOR LAYOUT.
7. EXISTING SIGNING, CONDOLA, CASE COUNTER, BAR & STOPS IN SIGNATURE STORE TO BE REMOVED.
8. EXISTING EQUIPMENT IN HEAT & COIL REFRIG (OTHER THAN THOSE INDICATED IN REMOVE PLAN) TO BE REMOVED & RELOCATED. SEE FUTURE PLAN FOR NEW LOCATION.
9. EXISTING FRIGIDERS (DISPOSERS, FREEZERS, P.A., ALSO SMALL SIGNATURE STORE) TO BE REMOVED.
10. EXISTING FLOOR TILES TO BE REMOVED THROUGHOUT THE ENTIRE BUILDING. REFER TO CONSTRUCTION AND ELECTRICAL PLAN FOR NEW FLOORING LAYOUT & NOTES.
11. EXISTING WINDOWS AND FRAMES TO BE REMOVED. SEE CONSTRUCTION PLAN FOR NEW WINDOWS & NOTES.
12. EXISTING FLOORING TO REMAIN.

GENERAL NOTES

REMOVED ELEMENT 4 CI 10/11/18

On the date shown on this drawing, the design team has completed the design of the project. The design team is not responsible for the construction of the project. The design team is not responsible for the construction of the project. The design team is not responsible for the construction of the project.




77 West Broad Street, Suite 1100
 Columbus, Ohio 43215
 Tel: (614) 521-1100

PROJECT: THE GREEN COMMERCIAL CORP.
 COLUMBUS, OH

DATE: 01/10/18
 DRAWING: 7 JAN

DATE: JAN 10, 2018
 SCALE: 3/32" = 1'-0"
 SHEET: 4-1
 NO. 01




CONSTRUCTION PLAN

SCALE 3/32" = 1'-0"


CONSTRUCTION DRAWING NOTES:

1. NEW DOORS. REFER TO DOOR & HARDWARE SCHEDULE FOR INFORMATION.
2. NEW WALLS TO BE CONSTRUCTED AS SHOWN.
3. NEW IMPACT DOORS. REFER TO DOOR & HARDWARE SCHEDULE. SEE WALL TYPES FOR WALL CONSTRUCTION.
4. NEW REFRIGERATED PANEL WALLS TO ENCLOSE MEAT PREP.
5. RELOCATED FIVE (5) COOLERS. SEE FIXTURE PLAN & ELECTRICAL DRAWINGS FOR NEW LOCATIONS & POWER REQUIREMENTS.
6. NEW FLOORING THROUGHOUT VESTIBULE (INTERIOR & EXTERIOR), SALES FLOOR, BACKROOM, & LUNAR STORE. REFER TO FINISH SCHEDULE & FLOORING LEGEND FOR DETAILS.
7. NOT USED.
8. LOCATION OF RELOCATED VITAMIN WATER COOLER. REMOVE EXISTING. TO BE NEW LOCATION.
9. LOCATION OF RELOCATED POP COOLER. REMOVE EXISTING. TO BE NEW LOCATION.
10. SUPPLY & INSTALL NEW FURNACE BY OFFICE.
11. SUPPLY & INSTALL NEW POWER LIFT AT RECEIVING DOOR.
12. COOLER WALLS TO BE STABILIZED. BUMPER TO BE ADDED ALONG WALLS PERIMETER WALLS.
13. NEW FRONT-FACE LUMINAIRE INSERTS TO REPLACE BLUE FACE INSERTS AT FRONT OF CUSTOMER SERVICE DESK.
14. NEW REFRIGERATED DOORS TO BE ADDED TO EXISTING GLASS DOORS. NEW LED LIGHTING ON ALL GLASS.
15. NEW REFRIGERATED THROUGHOUT LUNAR STORE & SALES FLOOR (SEE ARCHITECTURE).
16. REPAINT EXISTING CEILING IN PREP SPACES.
17. NEW WINDOWS AND FRAMES. GO TO SITE MEASUREMENTS.


FLOOR FINISH TYPES:




DOOR FRAMES



DOOR TYPES



WINDOW TYPES



GENERAL NOTES

| | | | |
|---|---------------------|----|-------|
| ▽ | LVT FINISH IN LUNAR | CL | NOV15 |
| △ | Handover | By | Boas |

Do not make any changes to drawings without the approval of the architect. The contractor shall be responsible for obtaining all necessary permits and for coordinating with all other trades. The contractor shall be responsible for obtaining all necessary insurance and bonding. The contractor shall be responsible for obtaining all necessary safety training and equipment. The contractor shall be responsible for obtaining all necessary safety training and equipment.





7700 West 10th Avenue, Suite 100
 Denver, CO 80202
 Tel: (303) 555-1000

PROJECT NO.
 4-2
 CLIENT
 ALBERTA COMMERCIAL COMPANY
 CALGARY, AL

DATE: 02/15/2013
 DRAWN: MVE - LVP
 CHECKED: MVE - LVP
 PROJECT NO.
 4-2
 CLIENT
 ALBERTA COMMERCIAL COMPANY
 CALGARY, AL

CONSTRUCTION & FLOORING PLAN
 4-2
 SHEET 4/11

GENERAL NOTES




LIQUOR STORE SIGN

REQUIRE (1) EXTERIOR SIGN 3MM 2/BOND, LAMINATED TO 3/8" CELTEC QW 1" ROLLED ALUMINUM FRAME GRAPHIC AND COPY TO BE DIGITAL PRINT WITH OVER LAMINATION FOR UV PROTECTION PLEASE INCLUDE MOUNTING HARDWARE. HORIZONTAL BANNER TYPE TO READ: CRAIG

FRONT STORE SIGN

REQUIRE (1) EXTERIOR SIGN 3MM 2/BOND, LAMINATED TO 3/8" CELTEC QW 1" ROLLED ALUMINUM FRAME GRAPHIC AND COPY TO BE DIGITAL PRINT WITH OVER LAMINATION FOR UV PROTECTION PLEASE INCLUDE MOUNTING HARDWARE. HORIZONTAL BANNER TYPE TO READ: CRAIG



OLD AC SIGN TO BE REMOVED AND REPLACED WITH NEW AC LOGO MEDALLION & LIQUOR STORE SIGN PANEL

LIQUOR STORE SIDE ENTRANCE

NEW SIGN LOGO TO BE INSTALLED

NEW INDIVIDUAL LETTERS TO BE INSTALLED

OLD SIGN TO BE REMOVED & REPAIR EXTERIOR PLUG WALL AS REQUIRED. RE-PAIN PORTION OF THE PARAPET AS SHOWN. PAINT COLOR TO BE TIC-70 VAN BUREN BROWN, BENJAMIN MOORE PAINTS.

BLUE OUTLINE TO REMAIN.

2'-6"

3'-6"

2'-0"




71 1/2th Street, Anchorage, Alaska, 99501
Phone: (907) 551-1122
Fax: (907) 551-1122

Project Title:
ALASKA COMMERCIAL COMPANY
ANCHORAGE, AK

Project No.:
NEW EXTERIOR STORE SIGNS

Sheet No.:
8-1
SUBJECT: /



MAIN STORE FRONT ENTRANCE

**Craig - Thompson House
ACC STORE**

FINISH SCHEDULE Nov. 16/2012

| Code | Material | Manufacturer | Spec & Color# | Comments |
|---------|---|-----------------------|---|--|
| ACT-1 | Acoustical tile | Armstrong | CORTEGA #747, 24" X 48" LAY IN | |
| ACT-2 | Scrubable acousticle tile | Armstrong | CORTEGA #761, 24" X 48" LAY IN | Factory applied vinyl plastic coating |
| CB-1 | 2" cart bumper | McQue Corp or equal | Black | |
| CG-1 | Metal corner guard | | 2" X 2" X 4H galvanized metal corner | |
| EF-1 | Entry flooring | EcoSurfaces Econights | Chunky Monkey #648 | Back areas, Entry, & Vestibule (see flooring plan for locations) |
| DW-1 | Drywall | | 5/8" Gypsumboard | |
| FRP-1 | Fiberglass reinforced panels | Marlite | Color: Pebble white #P-100 | Back prep rooms - c/w trims, connectors, etc. |
| FRP-2 | Fiberglass reinforced panels | Marlite | Color: P-106 Pebble Beige | Deli Prep 120 (walls facing Sales Floor only) & Entry 101 (lower portions of walls below Oak trim) c/w trims, connectors, etc. |
| FRP-3 | Fiberglass reinforced panels Integral base | Marlite | Color: Beige | c/w trims, connectors, etc. |
| P-1 | Paint | Benjamin Moore | BM 246, Westchester Tan | Eggshell (Field Color Store & Liquor Sales) |
| P-2 | Paint Accent #1 | Benjamin Moore | BM 248, Mansfield Tan | Eggshell (2nd Field Color - accent) |
| P-3 | Paint Accent #2 | Benjamin Moore | BM 370, Yellow Tone | Eggshell (Customer Service wall) |
| P-4 | Paint Accent #3 | Benjamin Moore | AF 410, Lapland | Eggshell (Accent color on front north wall & beverage east wall) |
| P-5 | Paint Accent #4 | Benjamin Moore | BM 1225, Abbey Brown | Eggshell (Liquor store - wall above & around beer doors) |
| P-6 | Paint Accent #5 | Benjamin Moore | BM 301, Glen Ridge Gold | Eggshell (small portion in Bakery Area - bulkhead only) |
| P-7 | Paint Accent #6 | Benjamin Moore | 2023-40 Sunburst | Eggshell (Produce Area wall - 25'L x 9'H wall behind refrigerated case only) |
| P-8 | Paint Accent #7 | Benjamin Moore | BM 056, Montana Agate | Eggshell (Liquor store - Accent wall - 32'L x 10'H window wall) |
| P-9 | Doors & Frame paint | Benjamin Moore | HC-76 Davenport Tan | Semi-gloss (doors and frames in Sales Area - as noted on Elevation Drwg) |
| P-10 | Exterior Wall Paint | Benjamin Moore | HC-70 Van Buren Brown | Exterior Paint Grade (to paint top panel of parapet as shown in exterior elevation drawing) |
| PW-1 | Plywood | | 3/8" GIs Unfinished plywood | Do not paint plywood |
| RB-1 | Rubber cove base | Johnsonite (or equal) | 4" cove To match: #80 - Fawn CB | Or Equal. On Gypsumboard only. Not on steel liner panel, plywood or FRP. |
| SF-1 | Safety Flooring | Polyflor | Polysafe Ultimate #4360 Mortar, 2.5mm Color: #4140 Autumn Beige | weld rod seams |
| ST-1 | Slatwall | McCowan | White horizontal 3" on center | Supplied with metal cabinets include inserts & endcaps |
| VT-1 | Vinyl tile | Polyflor | Polyflex Plus semi flexible tile 2mm , 300 x 300 Colour #7420 Arran Beige | Sales Area floor, washrooms (see flooring plan for locations). Glue down. On wood sub floors only |
| VT-2* # | Luxury Vinyl tile | Polyflor Exporna | Exporna Luxury vinyl tile, 7.25" x 48", Colour #6106 Boston Maple | Liquor Store floor (see flooring plan for locations). Glue down. On wood sub floors only |

01-13

| | | | | |
|------|------------------|---------|------------------------------|---|
| PL-1 | Plastic Laminate | Formica | #7813-58 Cardboard | Mosaic fixture countertops & Accents tops |
| PL-2 | Plastic Laminate | Pionite | WX110 Suede "Smooth Paddlin" | Mosaic fixture vertical panels & Accents |

Checkout Finish TIGER Drylac 16/15013 "Desert
Tan" FS 595-30318

Craig, AK
ROOM FINISH SCHEDULE - UPDATED - NOV.15, 2012

| ROOM # | ROOM NAME | FLOOR FINISH | BASE | WALLS NORTH * | EAST | SOUTH | WEST | CEILING FINISH | HEIGHT | NOTES |
|--------|-----------------|--------------|----------|---------------|----------------|---------------|------------|----------------|----------|-------------------|
| 100 | SALES AREA | VT-1 | RB-1 | P-3,P-4 | P-1,P-4, VINYL | P-1,2,6,VINYL | P-2,VINYL | EXISTING | EXISTING | SEE NOTES : 1 & 2 |
| 101 | ENTRY | EF-1 | RB-1 | FRP-2,P-1 | FRP-2,P-1 | FRP-2,P-1 | FRP-2,P-1 | EXISTING | EXISTING | SEE NOTES : 4 |
| 102 | VESTIBULE | EF-1 | RB-1 | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 103 | LIQUOR STORE | LVT-1 | RB-1 | P-8 | P-1, VINYL | P-5 | P-1, VINYL | EXISTING | EXISTING | SEE NOTE: 1 & 2 |
| 104 | HALLWAY | LVT-1 | RB-1 | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 105 | HALLWAY | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 106 | WASHROOM | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 107 | STORAGE | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 108 | STORE MANAGER | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 109 | OFFICE | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 110 | HALLWAY | EF-1 | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 111 | POP STORAGE | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 112 | RECEIVING | EF-1 | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 113 | STORAGE | EF-1 | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 114 | STORAGE | EF-1 | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 115 | ELECTRICAL ROOM | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 116 | STAFF AREA | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 117 | BAKERY PREP | SF-1 | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | SEE NOTE: 5 |
| 118 | WAREHOUSE | SF-1 | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 119 | MEAT PREP | SF-1 | EXISTING | REF.PAN. | N/A | FRP-1 | REF.PAN. | EXISTING | EXISTING | |
| 120 | DELI PREP | SF-1 | EXISTING | N/A | REF.PAN. | FRP-2 | FRP-2 | EXISTING | EXISTING | SEE NOTE: 3 |
| 121 | WASHROOM | VT-1 | RB-1 | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 122 | WASHROOM | VT-1 | RB-1 | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 123 | PRODUCE PREP | EF-1 | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 124 | HALLWAY | EF-1 | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 125 | FLURANCE ROOM | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | EXISTING | |
| 126 | PUBLIC WASHROOM | VT-1 | RB-1 | P-1 | P-1 | P-1 | P-1 | EXISTING | EXISTING | |
| 127 | SALES | VT-1 | RB-1 | VINYL | P-2 | P-1, P-2 | P-1, P-7 | EXISTING | EXISTING | SEE NOTES : 1 & 2 |

- NOTES:**
- 1.) SEE INTERIOR ELEVATIONS FOR DRYWALL PAINT COLOUR PLACEMENT
 - 2.) RB-1 TO BE PLACE ONLY ON EXPOSED DRY WALL WALLS EXTENDING 1'-0" BEHIND FIXTURES
 - 3.) FRP-2 ON WALLS FACING SALES SIDE ONLY. FRP-2 TO US OF CEILING.
 - 4.) FRP-2 TO BE INSTALLED BELOW OAK TRIM (LOWER PORTIONS OF WALL TO PROTECT FROM DIRT/CART IMPACT)
 - 5.) INSTALL WALL BUMPER ALONG LENGTH OF COOLER WALLS IN WAREHOUSE